



CANTONEIRAS DE ABAS IGUAIS




Código do Perfil	Milímetros		Polegadas		Peso Kg/m
	A	E	A	E	
L-641 1072	12.70	0.90	1/2"	-	0,060
L-405 1278	15.87	1.58	5/8"	1/16"	0,130
L-009 0003	19.05	1.58	3/4"	1/16"	0,150
L-013 0044	25.40	1.58	1"	1/16"	0,210
L-744 0102	38.10	1.58	1.1/2"	1/16"	0,318
L-612 0544	50.80	2.00	2"	-	0,540

TUBO RETANGULAR




Código do Perfil	Milímetros			Polegadas			Peso Kg/m
	A	B	E	A	B	E	
TUB-4588	50.80	25.40	0.90	2"	1"	-	0,363
3576	50.80	38.10	1.58	2"	1"	1/16"	0,739
TUB-4599	101.60	50.80	2.00	4"	2"	-	1,770

TUBO REDONDO



Código do Perfil	Milímetros		Polegadas		Peso Kg/m
	A	E	A	E	
TUB-009	12.70	1.20	1/2"	-	0,118
TUB-017	15.87	1.00	5/8"	-	0,127
6423	19.05	0.80	3/4"	-	0,124
TUB-038	22.22	1.58	7/8"	1/16"	0,282


TUBO QUADRADO



Código do Perfil	Milímetros		Polegadas		Peso Kg/m
	A	E	A	E	
TUB-4061	25.40	1.58	1"	1/16"	0,307
TUB-4053	38.10	1.58	1.1/2"	1/16"	0,640
TUB-4021	50.80	1.40	2"	-	0,660


CM-063 | 0586

0,219 kg/m




CM-060 | 0887

0,274 kg/m




CM-098 | 1370

0,369 kg/m




CM-169 | 3311

0,358 kg/m




MP-347 | 0731

0,200 kg/m




MN-014 | 2427

0,213 kg/m




AL-5751 | 5751

0,167 kg/m




CM-029 | 4141

0,294 kg/m



ME-013 | 2642


0,268 kg/m



ÍNDICE


DS-238 | 3372

0,530 kg/m




MN-015 | 2419

0,881 kg/m




MN-007 | 2808

0,706 kg/m




MN-055 | 2733

0,370 kg/m




MN-014 | 2427

0,213 kg/m




MN-002 | 2807

0,694 kg/m




MN-050 | 2643

0,732 kg/m




MN-001 | 6125

1,228 kg/m




MN-003 | 6124

0,929 kg/m




MN-010 | 6139

1,495 kg/m




MN-005 | 3229


0,778 kg/m





MN-006 | 3230

0,878 kg/m











A-058 | 0671

0,203 kg/m




TRAVCX-284 | 5486

0,881 kg/m




CX-284P1 | 3720

0,188 kg/m



CX-002 | 1434

0,295 kg/m



P-227 | 0329

0,535 kg/m

